

Leading Causes of Injury Death, British Columbia, 2014, Males and Females Combined Counts (Crude death rate per 100,000)

	0-14	15-24	25-34	35-44	45-54	55-64	65+	All Ages
1	Suffocation 8 (1.2)	Suicide 59 (9.9)	Unintentional Poisoning 120 (19.0)	Suicide 93 (15.2)	Suicide 123 (17.9)	Suicide 124 (19.3)	Fall 487 (62.0)	Suicide 601 (12.96)
2	Transport- related 5 (0.7)	Transport- related 44 (7.3)	Suicide 72 (11.4)	Unintentional Poisoning 90 (14.7)	Unintentional Poisoning 109 (15.8)	Unintentional Poisoning 75 (11.7)	Suicide 128 (16.3)	Fall 550 (11.9)
3	Fall *	Unintentional Poisoning 31 (5.2)	Transport- related 43 (6.8)	Transport- related 31 (5.1)	Transport- related 42 (6.1)	Transport- related 42 (6.5)	Transport- related 85 (10.8)	Unintentional Poisoning 441 (9.5)
4	Drowning/ Submersion *	Fall 5 (0.8)	Homicide 8 (1.3)	Fall 8 (1.3)	Fall 14 (2.0)	Fall 27 (4.2)	Suffocation 20 (2.6)	Transport- related 292 (6.3)
5	Fire, Flames & Hot Substances *	Environment/ Natural *	Fall 6 (1.0)	Drowning/ Submersion 5 (0.8)	Undetermined Intent 8 (1.2)	Undetermined Intent 13 (2.0)	Unintentional Poisoning 16 (2.0)	Undetermined Intent 43 (0.9)

*Suppressed due to small number of cases. Postoperative Complications, Misadventure and Adverse Effects have been excluded from these tables due to their heterogeneous nature.

Data Source: BC Vital Statistics, 2017